

Neurobiology

Kyritsis N, Kizil C, Zocher S, Kroehne V, Kaslin J, Freudenreich D, Iltzsche A, Brand M.

Acute inflammation initiates the regenerative response in the adult zebrafish brain.

Science. 2012 Dec 7;338(6112):1353-6

Fietz SA, Kelava I, Vogt J, Wilsch-Bräuninger M, Stenzel D, Fish JL, Corbeil D, Riehn A, Distler W, Nitsch R, Huttner WB.

OSVZ progenitors of human and ferret neocortex are epithelial-like and expand by integrin signaling.

Nat Neurosci. 13(6):690-9 (2010)

Stiess M, Maghelli N, Kapitein LC, Gomis-Rüth S, Wilsch-Bräuninger M, Hoogenraad CC, Tolić-Nørrelykke IM, Bradke F.

Axon extension occurs independently of centrosomal microtubule nucleation.

Science. 327(5966):704-7 (2010)

Kaslin J, Ganz J, Geffarth M, Grandel H, Hans S, Brand M.

Stem cells in the adult zebrafish cerebellum: initiation and maintenance of a novel stem cell niche.

J Neurosci. 2009 May 13;29(19)

Zacchigna S, Oh H, Wilsch-Bräuninger M, Missol-Kolka E, Jászai J, Jansen S, Tanimoto N, Tonagel F, Seeliger M, Huttner WB, Corbeil D, Dewerchin M, Vinckier S, Moons L, Carmeliet P.

Loss of the cholesterol-binding protein prominin-1/CD133 causes disk dysmorphogenesis and photoreceptor degeneration.

J Neurosci. 29(7):2297-308 (2009)

2012

Jgamadze D, Bergen J, Stone D, Jang JH, Schaffer DV, Isacoff EY, Pautot S. Colloids as mobile substrates for the implantation and integration of differentiated neurons into the mammalian brain.

PLoS One. 2012;7(1)

Ganz J, Kaslin J, Freudenreich D, Machate A, Geffarth M, Brand M.

Subdivisions of the adult zebrafish subpallium by molecular marker analysis.

J Comp Neurol. 2012 Feb 15;520(3):633-55

Kizil C, Dudczig S, Kyritsis N, Machate A, Blaesche J, Kroehne V, Brand M.

The chemokine receptor cxcr5 regulates the regenerative neurogenesis response in the adult zebrafish brain.

Neural Dev. 2012 Jul 23;7:27.

Pan-Montojo F, Schwarz M, Winkler C, Arnhold M, O'Sullivan GA, Pal A, Said J, Marsico G, Verbavatz JM, Rodrigo-Angulo M, Gille G, Funk RH, Reichmann H.

Environmental toxins trigger PD-like progression via increased alpha-synuclein release from enteric neurons in mice.

Sci Rep. 2:898 (2012)

2011

Arai Y, Pulvers JN, Haffner C, Schilling B, Nüsslein I, Calegari F, Huttner WB.
Neural stem and progenitor cells shorten S-phase on commitment to neuron production.
Nat. Commun., 2 Art. No. 154 (2011)

2010

Ganz J, Kaslin J, Hochmann S, Freudenreich D, Brand M.
Heterogeneity and Fgf dependence of adult neural progenitors in the zebrafish telencephalon.
Glia. 2010 Aug 15;58(11):1345-63

Attardo A, Fabel K, Krebs J, Haubensak W, Huttner WB, Kempermann G.
Tis21 expression marks not only populations of neurogenic precursor cells but also new postmitotic neurons in adult hippocampal neurogenesis.
Cereb. Cortex, 20(2) 304-314 (2010)

2009

Kowalczyk T, Pontious A, Englund C, Daza RAM, Bedogni F, Hodge R, Attardo A, Bell C, Huttner WB, Hevner RF.
Intermediate neuronal progenitors (basal progenitors) produce pyramidal-projection neurons for all layers of cerebral cortex.
Cereb. Cortex, 19(10) 2439-2450 (2009)

Lange C, Huttner WB, Calegari F
Cdk4/cyclinD1 overexpression in neural stem cells shortens G1, delays neurogenesis, and promotes the generation and expansion of basal progenitors.
Cell Stem Cell, 5(3) 320-331 (2009)

Fei J, Huttner WB
Nonselective sister chromatid segregation in mouse embryonic neocortical precursor cells.
Cereb. Cortex, 19(Suppl 1) 49-54 (2009)

Pulvers JN, Huttner WB
Brcal is required for embryonic development of the mouse cerebral cortex to normal size by preventing apoptosis of early neural progenitors.
Development, 136(11) 1859-1868 (2009)

Saito K, Dubreuil V, Arai Y, Wilsch-Bräuninger M, Schwudke D, Saher G, Miyata T, Breier G, Thiele C, Shevchenko A, Nave KA, Huttner WB.
Ablation of cholesterol biosynthesis in neural stem cells increases their VEGF expression and angiogenesis but causes neuron apoptosis.
Proc. Natl. Acad. Sci. U.S.A., 106(20) 8350-8355 (2009)

2008

De Pietri Tonelli D, Pulvers JN, Haffner C, Murchison EP, Hannon GJ, Huttner WB.
miRNAs are essential for survival and differentiation of newborn neurons but not for expansion of neural progenitors during early neurogenesis in

the mouse embryonic neocortex.
Development, 135(23) 3911-3921 (2008)

Farkas LM, Haffner C, Giger T, Khaitovich P, Nowick K, Birchmeier C, Pääbo S, Huttner WB.
Insulinoma-associated 1 has a panneurogenic role and promotes the generation and expansion of basal progenitors in the developing mouse neocortex.
Neuron, 60(1) 40-55 (2008)

Fish JL, Dehay C, Kennedy H, Huttner WB
Making bigger brains-the evolution of neural-progenitor-cell division.
J. Cell. Sci., 121(Pt 17) 2783-2793 (2008)

Attardo A, Calegari F, Haubensak W, Wilsch-Bräuninger M, Huttner WB.
Live imaging at the onset of cortical neurogenesis reveals differential appearance of the neuronal phenotype in apical versus basal progenitor progeny.
PLoS One. 3(6):e2388 (2008)